

COLUMN SPEAKER
USER MUNUAL
PROFESSIONAL SPEAKER




PLEASE READ THIS USER MANUAL CAREFULLY
BEFORE OPERATION THIS UNIT

*R*acoustics

LW12 & LW15 DSP Introduce

The Chart of DSP Panel function



Operation of BT / MP3

(1).Under Bluetooth button

1. Short press the last song button to play the previous song.
2. Short press the play/pause button to play or pause the current track.Long press for mode conversion. (Conversion between Bluetooth and MP3)
3. Briefly press the next song button to play the next song.

(2).Under MP3 button


1. Short press the previous song button to play the previous song, long press to turn random play on or off.
2. Short press the play/pause key to play or pause the current track, and long press to change the mode.(Conversion between MP3 and Bluetooth)
3. Short press the button of one track to play the next track, long press to turn on or off the repeated single track. (After turning on or off the repeat function, you need to press the play key once to play the current track normally)

Note: Press the multifunction key to display the DSP menu. After 10 seconds of inactivity, MP3 or BT will be displayed automatically,

Turn off the power of MP3 and the DSP function will be displayed automatically

Introduce DSP main function

(1) Main interface



Turn on and enter the main interface, turn the multi function key to adjust the total volume. During the process, the total signal output, signal 1 output and signal 2 output will have corresponding information changes.

(2) CLIP



When the input signal is too large (i.e. top clipping), the word "CLIP" will appear on the display screen. When the input signal of the signal is reduced without distortion, and "CLIP" will be eliminated.


(3) Menu



Under the main interface press multi function into menu, the menu has 6 parts: MODE, EQ, POSIT, SUB, SETUP, EXIT

Introduce DSP model parts

(1) MODE



Under menu, turn left and right multi function and choose MODE, and then press multi function to next menu, you will see four models, they are Music, Live, Speech, Club, position the cursor you choose, press the multi function.

(2) EQ



Under menu, place the cursor to EQ and then enter sub menu when you turn left and right multi function, Choose Bass or Treble to add or reduce volume. Turn left turn right multi function to move the cursor on Bass, press multi function, the cursor will place on Bass data adjustment, then you turn multi function left or right to add or reduce data, when you set up

good then enter multi function again. How to adjust Treble, operation is same. When all data finish adjustment, place cursor to EXIT, press multi function will back to Menu.

(3) POSIT



Under menu, and place cursor to POSIT, press multi function enter Sub-menu, you can choose one of three button: Corner, Wall, Floor, Then Press multi function key.

(4) SETUP



Under Menu, place cursor to SETUP and press multi function key into Sub menu, you will see Contr and Save. Turn left or right multi function key, the cursor will place on contr, press multi function key to sure, the cursor will place on data of Contr, turn left and right multi function key to adjust when you finish press it. Place the cursor to Save and long press 5 seconds, it will display OK(it means all set up data save, when you turn on next time it run the same data), Then choose

EXIT and back to Menu.

(5) EXIT



When all data finish adjustment, choose EXIT and press multi function Key to back Menu. In addition,if no any operations about 30 seconds When you enter operation interface, this equipment will auto back To Menu.

Instructions

Please read the user manual carefully before operation. Please keep this manual for future reference.

1. This unit is ~220VAC. Please plug to the main AC~220V.
2. Keep Distance on a hot area /location. It may Cause damage on the item.
3. Do not use this item on Wet Places, or very near water area.
4. Please avoid Liquid Pour on the item. Warranty will be void.
5. Do not Dismantle the item. Only Authorized Service Technician is only allowed to open and dismantle the item. it may cause Electric Shock.
6. If cleaning ,Remove AC or DC plug.
7. Any Servicing /Repair, only Authorized Service AT Prosound.